

Folio Gold[®]
METALAXYL-M 3.3% + CHLOROTHALONIL 33.1% SC (SYSTEMIC AND CONTACT FUNGICIDE)

फोलियो गोल्ड
मेटालेक्सिल - एम ३.३% + क्लोरोथॅलोनिल ३३.१% एस.सी. (अंतरप्रवाही एवं त्वचीय फफूंदनाशक)

syngenta.
Manufactured by : Syngenta India Limited, Amar Paradigm, S.No. 110/11/3, Baner road, Pune - 411 045

Factory :
Plot No. 1, Swastik Ceramic Compound, AT & PO Sankarda, District Baroda-391350, Gujarat.

निर्माता : सिन्जेन्टा इंडिया लिमिटेड, अमर पॅराडीम, एस. नं. ११०/११/३, बानेर रोड, पुणे - ४११ ०४५.

फैक्टरी : प्लॉट नं. १, स्वास्तिक सिरेमिक कम्पाउंड, गांव व पोस्ट सन्कार्ड, जिला वड़ोदरा - ३९१ ३५०, गुजरात ।

Product names marked ® or ™, the **SYNGENTA** Logo and the Alliance Frame are Trademarks of a Syngenta Company.

For any complaints, please contact our Customer Service Executive. Syngenta India Limited, Amar Paradigm, S.No. 110/11/3, Baner Road, Pune-411045, Maharashtra, India Telephone No.: 020 30689533, Toll Free : 1800 2001 310 Email:customercare.india@syngenta.com, Website : www.syngenta.com

किसी भी विकारत के लिए, कृपया हमारे प्राइम सेवा अधिकारी को संपर्क करें. सिन्जेन्टा इंडिया लिमिटेड, अमर पॅराडीम, एस. नं. ११०/११/३, बानेर रोड, पुणे-४११ ०४५, महाराष्ट्र, भारत टेलिफोन नं. : ०२० 3०६९१५३३, टोल फ्री: १८०० 2००१ ३१० ईमेल : customercare.india@syngenta.com, वेबसाइट : www.syngenta.com

English
FOLIO GOLD[®]
METALAXYL-M 3.3% w/w + CHLOROTHALONIL 33.1% w/w SC (SYSTEMIC AND CONTACT FUNGICIDE)

फोलियो गोल्ड
मेटालेक्सिल - एम ३.३% + क्लोरोथॅलोनिल ३३.१% एस.सी. (अंतरप्रवाही एवं त्वचीय फफूंदनाशक)

Crop	Common name of the disease	a.i. (%)	Dosage Formulation	Dilution in water (L/ha)	Waiting period from last application to harvest (in days)
Potato	Late Blight	0.073	0.2%	500	34
Tomato	Early & Late Blight	0.073	0.2%	500	5

Application: Although the biological mode of action of Metalaxyl-M (phenylamide) and Chlorothalonil (chloronitrite) permits protective and curative use, best results are achieved when fungicide is applied with knapsack sprayer when the disease is still in the early stage of development.

- Storage:**
- The packages containing the fungicides should be stored in original containers in separate rooms or premises away from the rooms or premises used for storing other articles particularly articles of food or shall be kept in separate almiraes under lock and key.
 - The rooms or premises meant for storing the fungicide shall be well built, dry, well lit and ventilated and of sufficient dimension to avoid contamination with vapor.

Precautions: Do not use cooking utensils for preparing the spray solution. Use stick for stirring the spray solution. Avoid contact with skin, eyes and clothing. Avoid inhalation of fog and vapors. Wear hand gloves to avoid contact with the skin. Wear protective clothing, mask, goggles, and boots, while handling the product. Do not eat, drink or smoke while applying the product. Wash hands with soap and plenty of water and change clothes after the work is over. Avoid contamination of air and water bodies with the fungicide. Also wash the contaminated clothes.

First Aid: Remove the affected person to a well-ventilated area or fresh air and protect him from under cooling. **IN CASE OF SKIN CONTACT:** Remove contaminated clothing and thoroughly wash the affected parts of the body with soap and water. **IN CASE OF EYE CONTACT:** Rinse eyes with clean plenty water for several minutes (atleast 15 minutes). Remove contact lenses. **IN CASE OF INGESTION:** Rinse mouth. Repeatedly administer medicinal charcoal in a large quantity of water.

NOTE: Do not induce vomiting or never give anything by mouth to an unconscious person.

Antidote: No specific antidote is known. Apply symptomatic therapy.

Manufactured by: Syngenta India Limited, Amar Paradigm, S.No. 110/11/3, Baner Road, Pune-411 045, Maharashtra, India

Factory : Plot No. 1, Swastik Ceramic Compound, AT & PO Sankarda, District Baroda-391350, Gujarat.

English
FOLIO GOLD[®]
METALAXYL-M 3.3% w/w + CHLOROTHALONIL 33.1% w/w SC (SYSTEMIC AND CONTACT FUNGICIDE)

फोलियो गोल्ड
मेटालेक्सिल - एम ३.३% + क्लोरोथॅलोनिल ३३.१% एस.सी. (अंतरप्रवाही एवं त्वचीय फफूंदनाशक)

Crop	Common name of the disease	a.i. (%)	Dosage Formulation	Dilution in water (L/ha)	Waiting period from last application to harvest (in days)
Potato	Late Blight	0.073	0.2%	500	34
Tomato	Early & Late Blight	0.073	0.2%	500	5

Application: Although the biological mode of action of Metalaxyl-M (phenylamide) and Chlorothalonil (chloronitrite) permits protective and curative use, best results are achieved when fungicide is applied with knapsack sprayer when the disease is still in the early stage of development.

- Storage:**
- The packages containing the fungicides should be stored in original containers in separate rooms or premises away from the rooms or premises used for storing other articles particularly articles of food or shall be kept in separate almiraes under lock and key.
 - The rooms or premises meant for storing the fungicide shall be well built, dry, well lit and ventilated and of sufficient dimension to avoid contamination with vapor.

Precautions: Do not use cooking utensils for preparing the spray solution. Use stick for stirring the spray solution. Avoid contact with skin, eyes and clothing. Avoid inhalation of fog and vapors. Wear hand gloves to avoid contact with the skin. Wear protective clothing, mask, goggles, and boots, while handling the product. Do not eat, drink or smoke while applying the product. Wash hands with soap and plenty of water and change clothes after the work is over. Avoid contamination of air and water bodies with the fungicide. Also wash the contaminated clothes.

First Aid: Remove the affected person to a well-ventilated area or fresh air and protect him from under cooling. **IN CASE OF SKIN CONTACT:** Remove contaminated clothing and thoroughly wash the affected parts of the body with soap and water. **IN CASE OF EYE CONTACT:** Rinse eyes with clean plenty water for several minutes (atleast 15 minutes). Remove contact lenses. **IN CASE OF INGESTION:** Rinse mouth. Repeatedly administer medicinal charcoal in a large quantity of water.

NOTE: Do not induce vomiting or never give anything by mouth to an unconscious person.

Antidote: No specific antidote is known. Apply symptomatic therapy.

Manufactured by: Syngenta India Limited, Amar Paradigm, S.No. 110/11/3, Baner Road, Pune-411 045, Maharashtra, India

Factory : Plot No. 1, Swastik Ceramic Compound, AT & PO Sankarda, District Baroda-391350, Gujarat.

Hindi
FOLIO GOLD[®]
METALAXYL-M 3.3% w/w + CHLOROTHALONIL 33.1% w/w SC (SYSTEMIC AND CONTACT FUNGICIDE)

फोलियो गोल्ड
मेटालेक्सिल - एम ३.३% + क्लोरोथॅलोनिल ३३.१% डब्ल्यू/डब्ल्यू एससी (प्रणालीगत व संपर्कजन्य बुरशीनाशक)

Crop	Common name of the disease	a.i. (%)	Dosage Formulation	Dilution in water (L/ha)	Waiting period from last application to harvest (in days)
Potato	Late Blight	0.073	0.2%	500	3४
Tomato	Early & Late Blight	0.073	0.2%	५००	५

Application: Although the biological mode of action of Metalaxyl-M (phenylamide) and Chlorothalonil (chloronitrite) permits protective and curative use, best results are achieved when fungicide is applied with knapsack sprayer when the disease is still in the early stage of development.

- Storage:**
- The packages containing the fungicides should be stored in original containers in separate rooms or premises away from the rooms or premises used for storing other articles particularly articles of food or shall be kept in separate almiraes under lock and key.
 - The rooms or premises meant for storing the fungicide shall be well built, dry, well lit and ventilated and of sufficient dimension to avoid contamination with vapor.

Precautions: Do not use cooking utensils for preparing the spray solution. Use stick for stirring the spray solution. Avoid contact with skin, eyes and clothing. Avoid inhalation of fog and vapors. Wear hand gloves to avoid contact with the skin. Wear protective clothing, mask, goggles, and boots, while handling the product. Do not eat, drink or smoke while applying the product. Wash hands with soap and plenty of water and change clothes after the work is over. Avoid contamination of air and water bodies with the fungicide. Also wash the contaminated clothes.

First Aid: Remove the affected person to a well-ventilated area or fresh air and protect him from under cooling. **IN CASE OF SKIN CONTACT:** Remove contaminated clothing and thoroughly wash the affected parts of the body with soap and water. **IN CASE OF EYE CONTACT:** Rinse eyes with clean plenty water for several minutes (atleast 15 minutes). Remove contact lenses. **IN CASE OF INGESTION:** Rinse mouth. Repeatedly administer medicinal charcoal in a large quantity of water.

NOTE: Do not induce vomiting or never give anything by mouth to an unconscious person.

Antidote: No specific antidote is known. Apply symptomatic therapy.

Manufactured by: Syngenta India Limited, Amar Paradigm, S.No. 110/11/3, Baner Road, Pune-411 045, Maharashtra, India

Factory : Plot No. 1, Swastik Ceramic Compound, AT & PO Sankarda, District Baroda-391350, Gujarat.

Marathi
FOLIO GOLD[®]
METALAXYL-M 3.3% w/w + CHLOROTHALONIL 33.1% w/w SC (SYSTEMIC AND CONTACT FUNGICIDE)

फोलियो गोल्ड
मेटालेक्सिल - एम ३.३% + क्लोरोथॅलोनिल ३३.१% डब्ल्यू/डब्ल्यू एससी (प्रणालीगत व संपर्कजन्य बुरशीनाशक)

Crop	Common name of the disease	a.i. (%)	Dosage Formulation	Dilution in water (L/ha)	Waiting period from last application to harvest (in days)
Potato	Late Blight	0.073	0.2%	500	3४
Tomato	Early & Late Blight	0.073	0.2%	५००	५

Application: Although the biological mode of action of Metalaxyl-M (phenylamide) and Chlorothalonil (chloronitrite) permits protective and curative use, best results are achieved when fungicide is applied with knapsack sprayer when the disease is still in the early stage of development.

- Storage:**
- The packages containing the fungicides should be stored in original containers in separate rooms or premises away from the rooms or premises used for storing other articles particularly articles of food or shall be kept in separate almiraes under lock and key.
 - The rooms or premises meant for storing the fungicide shall be well built, dry, well lit and ventilated and of sufficient dimension to avoid contamination with vapor.

Precautions: Do not use cooking utensils for preparing the spray solution. Use stick for stirring the spray solution. Avoid contact with skin, eyes and clothing. Avoid inhalation of fog and vapors. Wear hand gloves to avoid contact with the skin. Wear protective clothing, mask, goggles, and boots, while handling the product. Do not eat, drink or smoke while applying the product. Wash hands with soap and plenty of water and change clothes after the work is over. Avoid contamination of air and water bodies with the fungicide. Also wash the contaminated clothes.

First Aid: Remove the affected person to a well-ventilated area or fresh air and protect him from under cooling. **IN CASE OF SKIN CONTACT:** Remove contaminated clothing and thoroughly wash the affected parts of the body with soap and water. **IN CASE OF EYE CONTACT:** Rinse eyes with clean plenty water for several minutes (atleast 15 minutes). Remove contact lenses. **IN CASE OF INGESTION:** Rinse mouth. Repeatedly administer medicinal charcoal in a large quantity of water.

NOTE: Do not induce vomiting or never give anything by mouth to an unconscious person.

Antidote: No specific antidote is known. Apply symptomatic therapy.

Manufactured by: Syngenta India Limited, Amar Paradigm, S.No. 110/11/3, Baner Road, Pune-411 045, Maharashtra, India

Factory : Plot No. 1, Swastik Ceramic Compound, AT & PO Sankarda, District Baroda-391350, Gujarat.

Gujarati
FOLIO GOLD[®]
METALAXYL-M 3.3% w/w + CHLOROTHALONIL 33.1% w/w SC (SYSTEMIC AND CONTACT FUNGICIDE)

ફોલિયો ગોલ્ડ
મેટાલેક્સિલ - એમ ૩.૩% + ક્લોરોથેલોનિલ ૩૩.૧% ડબ્લ્યુ/ડબ્લ્યુ એસસી (પ્રણાલીગત વ સંપર્કજન્ય બુરશીનાશક)

Crop	Common name of the disease	a.i. (%)	Dosage Formulation	Dilution in water (L/ha)	Waiting period from last application to harvest (in days)
Potato	Late Blight	0.073	0.2%	500	34
Tomato	Early & Late Blight	0.073	0.2%	500	5

Application: Although the biological mode of action of Metalaxyl-M (phenylamide) and Chlorothalonil (chloronitrite) permits protective and curative use, best results are achieved when fungicide is applied with knapsack sprayer when the disease is still in the early stage of development.

- Storage:**
- The packages containing the fungicides should be stored in original containers in separate rooms or premises away from the rooms or premises used for storing other articles particularly articles of food or shall be kept in separate almiraes under lock and key.
 - The rooms or premises meant for storing the fungicide shall be well built, dry, well lit and ventilated and of sufficient dimension to avoid contamination with vapor.

Precautions: Do not use cooking utensils for preparing the spray solution. Use stick for stirring the spray solution. Avoid contact with skin, eyes and clothing. Avoid inhalation of fog and vapors. Wear hand gloves to avoid contact with the skin. Wear protective clothing, mask, goggles, and boots, while handling the product. Do not eat, drink or smoke while applying the product. Wash hands with soap and plenty of water and change clothes after the work is over. Avoid contamination of air and water bodies with the fungicide. Also wash the contaminated clothes.

First Aid: Remove the affected person to a well-ventilated area or fresh air and protect him from under cooling. **IN CASE OF SKIN CONTACT:** Remove contaminated clothing and thoroughly wash the affected parts of the body with soap and water. **IN CASE OF EYE CONTACT:** Rinse eyes with clean plenty water for several minutes (atleast 15 minutes). Remove contact lenses. **IN CASE OF INGESTION:** Rinse mouth. Repeatedly administer medicinal charcoal in a large quantity of water.

NOTE: Do not induce vomiting or never give anything by mouth to an unconscious person.

Antidote: No specific antidote is known. Apply symptomatic therapy.

Manufactured by: Syngenta India Limited, Amar Paradigm, S.No. 110/11/3, Baner road, Pune - 411 045

Factory : Plot No. 1, Swastik Ceramic Compound, AT & PO Sankarda, District Baroda-391350, Gujarat.

Punjabi
FOLIO GOLD[®]
METALAXYL-M 3.3% w/w + CHLOROTHALONIL 33.1% w/w SC (SYSTEMIC AND CONTACT FUNGICIDE)

ਫੋਲੀਓ ਗੋਲਡ
ਮੈਟਾਲੇਕਸਿਲ-ਐਮ 3.3% ਡਬਲਿਊ/ਡਬਲਿਊ + ਕਲੋਰੋਥੇਲੋਨਿਲ 33.1% ਡਬਲਿਊ/ਡਬਲਿਊ ਐਸ ਸੀ (ਪ੍ਰਣਾਲੀਗਤ ਅਤੇ ਸੰਪਰਕ ਡਫੂੰਦੀਨਾਸ਼ਕ)

Crop	Common name of the disease	a.i. (%)	Dosage Formulation	Dilution in water (L/ha)	Waiting period from last application to harvest (in days)
Potato	Late Blight	0.073	0.2%	500	34
Tomato	Early & Late Blight	0.073	0.2%	500	5

Application: Although the biological mode of action of Metalaxyl-M (phenylamide) and Chlorothalonil (chloronitrite) permits protective and curative use, best results are achieved when fungicide is applied with knapsack sprayer when the disease is still in the early stage of development.

- Storage:**
- The packages containing the fungicides should be stored in original containers in separate rooms or premises away from the rooms or premises used for storing other articles particularly articles of food or shall be kept in separate almiraes under lock and key.
 - The rooms or premises meant for storing the fungicide shall be well built, dry, well lit and ventilated and of sufficient dimension to avoid contamination with vapor.

Precautions: Do not use cooking utensils for preparing the spray solution. Use stick for stirring the spray solution. Avoid contact with skin, eyes and clothing. Avoid inhalation of fog and vapors. Wear hand gloves to avoid contact with the skin. Wear protective clothing, mask, goggles, and boots, while handling the product. Do not eat, drink or smoke while applying the product. Wash hands with soap and plenty of water and change clothes after the work is over. Avoid contamination of air and water bodies with the fungicide. Also wash the contaminated clothes.

First Aid: Remove the affected person to a well-ventilated area or fresh air and protect him from under cooling. **IN CASE OF SKIN CONTACT:** Remove contaminated clothing and thoroughly wash the affected parts of the body with soap and water. **IN CASE OF EYE CONTACT:** Rinse eyes with clean plenty water for several minutes (atleast 15 minutes). Remove contact lenses. **IN CASE OF INGESTION:** Rinse mouth. Repeatedly administer medicinal charcoal in a large quantity of water.

NOTE: Do not induce vomiting or never give anything by mouth to an unconscious person.

Antidote: No specific antidote is known. Apply symptomatic therapy.

Manufactured by: Syngenta India Limited, Amar Paradigm, S.No. 110/11/3, Baner road, Pune - 411 045

Factory : Plot No. 1, Swastik Ceramic Compound, AT & PO Sankarda, District Baroda-391350, Gujarat.

Oriya
FOLIO GOLD[®]
METALAXYL-M 3.3% w/w + CHLOROTHALONIL 33.1% w/w SC (SYSTEMIC AND CONTACT FUNGICIDE)

ଫୋଲିଓ ଗୋଲ୍ଡ
ମେଟାଲେକ୍ସିଲ-ଏମ 3.3% ଡବ୍ଲ୍ୟୁ/ଡବ୍ଲ୍ୟୁ + କ୍ଲୋରୋଥେଲୋନିଲ 33.1% ଡବ୍ଲ୍ୟୁ/ଡବ୍ଲ୍ୟୁ ଏସ୍ ସି (ପ୍ରଣାଳୀଗତ ଅਤੇ ସଂପର୍କ ଡଫୁଣ୍ଡିନାଶକ)

Crop	Common name of the disease	a.i. (%)	Dosage Formulation	Dilution in water (L/ha)	Waiting period from last application to harvest (in days)
Potato	Late Blight	0.073	0.2%	500	34
Tomato	Early & Late Blight	0.073	0.2%	500	5

Application: Although the biological mode of action of Metalaxyl-M (phenylamide) and Chlorothalonil (chloronitrite) permits protective and curative use, best results are achieved when fungicide is applied with knapsack sprayer when the disease is still in the early stage of development.

- Storage:**
- The packages containing the fungicides should be stored in original containers in separate rooms or premises away from the rooms or premises used for storing other articles particularly articles of food or shall be kept in separate almiraes under lock and key.
 - The rooms or premises meant for storing the fungicide shall be well built, dry, well lit and ventilated and of sufficient dimension to avoid contamination with vapor.

Precautions: Do not use cooking utensils for preparing the spray solution. Use stick for stirring the spray solution. Avoid contact with skin, eyes and clothing. Avoid inhalation of fog and vapors. Wear hand gloves to avoid contact with the skin. Wear protective clothing, mask, goggles, and boots, while handling the product. Do not eat, drink or smoke while applying the product. Wash hands with soap and plenty of water and change clothes after the work is over. Avoid contamination of air and water bodies with the fungicide. Also wash the contaminated clothes.

First Aid: Remove the affected person to a well-ventilated area or fresh air and protect him from under cooling. **IN CASE OF SKIN CONTACT:** Remove contaminated clothing and thoroughly wash the affected parts of the body with soap and water. **IN CASE OF EYE CONTACT:** Rinse eyes with clean plenty water for several minutes (atleast 15 minutes). Remove contact lenses. **IN CASE OF INGESTION:** Rinse mouth. Repeatedly administer medicinal charcoal in a large quantity of water.

NOTE: Do not induce vomiting or never give anything by mouth to an unconscious person.

Antidote: No specific antidote is known. Apply symptomatic therapy.

Manufactured by: Syngenta India Limited, Amar Paradigm, S.No. 110/11/3, Baner road, Pune - 411 045

Factory : Plot No. 1, Swastik Ceramic Compound, AT & PO Sankarda, District Baroda-391350, Gujarat.

ਫੋਲੀਓ ਗੋਲਡ
ਮੈਟਾਲੇਕਸਿਲ-ਐਮ 3.3% ਡਬਲਿਊ/ਡਬਲਿਊ + ਕਲੋਰੋਥੇਲੋਨਿਲ 33.1% ਡਬਲਿਊ/ਡਬਲਿਊ ਐਸ ਸੀ (ਪ੍ਰਣਾਲੀਗਤ ਅਤੇ ਸੰਪਰਕ ਡਫੂੰਦੀਨਾਸ਼ਕ)

ਮਿਸ਼ਰਣ: ਮੈਟਾਲੇਕਸਿਲ-ਐਮ 3.3% + ਕਲੋਰੋਥੇਲੋਨਿਲ 33.1% ਐਸ ਸੀ ਪ੍ਰਣਾਲੀਗਤ ਡਫੂੰਦੀਨਾਸ਼ਕ, (ਮੈਟਾਲੇਕਸਿਲ-ਐਮ) ਅਤੇ ਸੰਪਰਕ ਡਫੂੰਦੀਨਾਸ਼ਕ ਦੇ ਇੱਕ ਮਿਸ਼ਰਣ ਹੈ ਜਿਸ ਦੀ ਆਲੂ ਦੇ ਪੱਤੇ ਤੇ ਝੁਲਸੇ ਅਤੇ ਟਾਮਾਟਰ ਦੇ ਅੱਗੇ ਤੇ ਅਤੇ ਪੱਤੇ ਤੇ ਝੁਲਸੇ ਦੇ ਨਿੱਕੜੇ ਲਈ ਸਿਫਾਰਸ਼ ਕੀਤੀ ਜਾਂਦੀ ਹੈ। ਇਹ ਇੱਕ ਲੀਟਰ ਸੂਤਰੀਕਰਨ ਵਿੱਚ ਕੁਮ ਅਨੁਸਾਰ, 40 ਗ੍ਰਾਮ. ਅਤੇ 400 ਗ੍ਰਾਮ. ਮੈਟਾਲੇਕਸਿਲ-ਐਮ ਅਤੇ ਕਲੋਰੋਥੇਲੋਨਿਲ ਦੇ ਬਰਾਬਰ, 3.3% ਮੈਟਾਲੇਕਸਿਲ-ਐਮ ਅਤੇ 33.1% ਕਲੋਰੋਥੇਲੋਨਿਲ ਵਾਲਾ ਇੱਕ ਸਸਪੈਂਸ਼ਨ ਗਤਾ ਸੂਤਰੀਕਰਨ ਹੈ।

ਮਿਸ਼ਰਣ: ਮੈਟਾਲੇਕਸਿਲ-ਐਮ 3.3% ਡਬਲਿਊ/ਡਬਲਿਊ + ਕਲੋਰੋਥੇਲੋਨਿਲ 33.1% ਡਬਲਿਊ/ਡਬਲਿਊ ਐਸ ਸੀ (ਪ੍ਰਣਾਲੀਗਤ ਅਤੇ ਸੰਪਰਕ ਡਫੂੰਦੀਨਾਸ਼ਕ)

ਮਿਸ਼ਰਣ: ਮੈਟਾਲੇਕਸਿਲ-ਐਮ 3.3% ਡਬਲਿਊ/ਡਬਲਿਊ + ਕਲੋਰੋਥੇਲੋਨਿਲ 33.1% ਡਬਲਿਊ/ਡਬਲਿਊ ਐਸ ਸੀ (ਪ੍ਰਣਾਲੀਗਤ ਅਤੇ ਸੰਪਰਕ ਡਫੂੰਦੀਨਾਸ਼ਕ)

